

The Manager
Listing Department
The National Stock Exchange of India Limited
'Exchange Plaza', C-1 Block G,
Bandra Kurla complex,
Bandra (E), Mumbai 400051.

Date: **25.12.2025**

NSE Symbol: **VMARCIND**
ISIN: **INE0GXK01018**

Subject: Disclosure under Regulation 30 of SEBI (Listing Obligations and Disclosure Requirements) Regulations, 2015– Grant of NABL Accreditation

Dear Sir /Madam,

Pursuant to Regulation 30 read with Schedule III of the SEBI (Listing Obligations and Disclosure Requirements) Regulations, 2015, we hereby inform you that **V-Marc India Limited** has received the **NABL (National Accreditation Board for Testing and Calibration Laboratories) Accreditation Certificate** along with the **Scope of Accreditation** for its laboratory.

The accreditation has been granted in accordance with the applicable NABL standards. A copy of the NABL Accreditation Certificate along with the Scope of Accreditation is enclosed herewith.

Impact:

The said accreditation enables the Company's laboratory to carry out testing activities as per NABL-accredited parameters and is expected to strengthen the Company's quality assurance framework and compliance with applicable regulatory and customer requirements.

This disclosure is being made in compliance with the applicable provisions of the SEBI (LODR) Regulations, 2015.



V-MARC India Limited

CIN - L31908UR2014PLC001066

The above information will also be available on the website of the Company at <https://www.v-marc.com/>

Kindly take the same on record and acknowledge.

Thanking You,

Yours Faithfully,

For V-Marc India Limited

Anuj Ahluwalia
Company Secretary
Membership No: ACS 35628

Enclosed: NABL Accreditation Certificate along with the Scope of Accreditation



National Accreditation Board for Testing and Calibration Laboratories

CERTIFICATE OF ACCREDITATION

V-MARC INDIA LIMITED (UNIT-LAB DIVISION)

has been assessed and accredited in accordance with the standard

ISO/IEC 17025:2017

"General Requirements for the Competence of Testing & Calibration Laboratories"

for its facilities at

**KHASRA NO. 1, 2 & 6, VILLAGE-MUKKARPUR, TEHSIL-ROORKEE, HARIDWAR, UTTARAKHAND,
INDIA**

in the field of

TESTING

Certificate Number: **TC-17303**

Issue Date: **24/12/2025**

Valid Until: **23/12/2029**

This certificate remains valid for the Scope of Accreditation as specified in the annexure subject to continued satisfactory compliance to the above standard & the relevant requirements of NABL.
(To see the scope of accreditation of this laboratory, you may also visit NABL website www.nabl-india.org)

Name of Legal Entity: **V-MARC INDIA LIMITED**

Signed for and on behalf of NABL




Anita Rani
Director



Chakravarthy T. Kannan
Chief Executive Officer



National Accreditation Board for Testing and Calibration Laboratories

SCOPE OF ACCREDITATION

Laboratory Name : V-MARC INDIA LIMITED (UNIT-LAB DIVISION), KHASRA NO. 1, 2 & 6, VILLAGE-MUKKARBPUR, TEHSIL-ROORKEE, HARIDWAR, UTTARAKHAND, INDIA

Accreditation Standard ISO/IEC 17025:2017

Certificate Number TC-17303

Page No 1 of 19

Validity 24/12/2025 to 23/12/2029

Last Amended on -

S.No	Discipline / Group	Materials or Products tested	Component, parameter or characteristic tested / Specific Test Performed / Tests or type of tests performed	Test Method Specification against which tests are performed and / or the techniques / equipment used
Permanent Testing				
1	ELECTRICAL- CABLES & WIRES	Aerial Bunched Cables for Working Voltages upto and Including 1100 Volts	Bending Test on the Completed Cable	IS 14255 (Cl. 11.4)
2	ELECTRICAL- CABLES & WIRES	Aerial Bunched Cables for Working Voltages upto and Including 1100 Volts	Hot Set Test (XLPE Insulation) Permanent	IS 10810 (Part 30) / IS 14255 (Cl. 10.1-c-ii)
3	ELECTRICAL- CABLES & WIRES	Aerial Bunched Cables for Working Voltages upto and Including 1100 Volts	Water Absorption (Gravimetric) (XLPE Insulation)	IS 10810 (Part 33) / IS 14255 (Cl. 10.1-c-v)
4	ELECTRICAL- CABLES & WIRES	Aerial Bunched Cables for Working Voltages upto and Including 1100 Volts	Ageing in Air Oven Elongation at Break Variation (XLPE Insulation)	IS 10810 (Part 11) / IS 14255 (Cl. 10.1-c- ii)
5	ELECTRICAL- CABLES & WIRES	Aerial Bunched Cables for Working Voltages upto and Including 1100 Volts	Breaking Load (Messenger Conductor)	IS 10810 (Part 2) / IS 14255 (Cl. 10.1-b-i)
6	ELECTRICAL- CABLES & WIRES	Aerial Bunched Cables for Working Voltages upto and Including 1100 Volts	Carbon Black Content Test	IS 10810 (Part 32) / IS 14255 (Cl. 10.1-c-vi-d- iii)
7	ELECTRICAL- CABLES & WIRES	Aerial Bunched Cables for Working Voltages upto and Including 1100 Volts	Elongation at Break (XLPE Insulation)	IS 10810 (Part 7) / IS 14255 (Cl. 5.1, Cl. 10.1-c-i-d-i)
8	ELECTRICAL- CABLES & WIRES	Aerial Bunched Cables for Working Voltages upto and Including 1100 Volts	Elongation Test (Messenger Conductor)	IS 14255 (Cl. 11.3, Cl. 10.1-b-ii)
9	ELECTRICAL- CABLES & WIRES	Aerial Bunched Cables for Working Voltages upto and Including 1100 Volts	High Voltage Test	IS 10810 (Part 45) / IS 14255 (Cl. 11.2 & Cl. 10.1-g)
10	ELECTRICAL- CABLES & WIRES	Aerial Bunched Cables for Working Voltages upto and Including 1100 Volts	Hot Set Test (XLPE Insulation) Under Load	IS 10810 (Part 30) / IS 14255 (Cl. 10.1-c-ii)
11	ELECTRICAL- CABLES & WIRES	Aerial Bunched Cables for Working Voltages upto and Including 1100 Volts	Insulation Resistance (Volume Resistivity)	IS 10810 (Part 43) / IS 14255 (Cl. 10.1- f)
12	ELECTRICAL- CABLES & WIRES	Aerial Bunched Cables for Working Voltages upto and Including 1100 Volts	Resistance Test (For Phase/ Street Light Conductor)	IS 10810 (Part 5) / IS 14255 (Cl. 10.1-a-iii)
13	ELECTRICAL- CABLES & WIRES	Aerial Bunched Cables for Working Voltages upto and Including 1100 Volts	Resistance Test (Messenger Conductor)	IS 10810 (Part 5) / IS 14255 (Cl. 10.1-b-iii)



National Accreditation Board for Testing and Calibration Laboratories

SCOPE OF ACCREDITATION

Laboratory Name :

V-MARC INDIA LIMITED (UNIT-LAB DIVISION), KHASRA NO. 1, 2 & 6, VILLAGE-MUKKARBPUR, TEHSIL-ROORKEE, HARIDWAR, UTTARAKHAND, INDIA

Accreditation Standard

ISO/IEC 17025:2017

Certificate Number

TC-17303

Page No

2 of 19

Validity

24/12/2025 to 23/12/2029

Last Amended on

-

S.No	Discipline / Group	Materials or Products tested	Component, parameter or characteristic tested / Specific Test Performed / Tests or type of tests performed	Test Method Specification against which tests are performed and / or the techniques / equipment used
14	ELECTRICAL- CABLES & WIRES	Aerial Bunched Cables for Working Voltages upto and Including 1100 Volts	Shrinkage Test (XLPE Insulation)	IS 10810 (Part 12)/ IS 14255 (Cl. 10.1-c-iv)
15	ELECTRICAL- CABLES & WIRES	Aerial Bunched Cables for Working Voltages upto and Including 1100 Volts	Tensile Strength (XLPE Insulation)	IS 10810 (Part 7)/ IS 14255(Cl. 5.1, Cl. 10.1-c-i-d-i)
16	ELECTRICAL- CABLES & WIRES	Aerial Bunched Cables for Working Voltages upto and Including 1100 Volts	Tensile Test (For Phase/Street Light Conductor)	IS 10810 (Part 2)/ IS 14255 (Cl. 10.1-a-i)
17	ELECTRICAL- CABLES & WIRES	Aerial Bunched Cables for Working Voltages upto and Including 1100 Volts	Test for Thickness of Insulation	IS 10810 (Part 6)/ IS 14255 (Cl. 7.2, Cl. 10.1-e)
18	ELECTRICAL- CABLES & WIRES	Aerial Bunched Cables for Working Voltages upto and Including 1100 Volts	Wrapping Test (For Phase/Street Light Conductor)	IS 10810 (Part 3)/ IS 14255 (Cl. 10.1-a-ii)
19	ELECTRICAL- CABLES & WIRES	Cross Linked Polyethylene Insulated Thermoplastic Sheathed Cables for Working Voltages from 3.3 kV upto and Including 33 kV	Ageing in Air Oven Elongation Variation (Insulation & Outer Sheath)	IS 10810 (Part 11)/ IS 7098 (Part 2) (Cl. 19.1-iii.b, vi.b)
20	ELECTRICAL- CABLES & WIRES	Cross Linked Polyethylene Insulated Thermoplastic Sheathed Cables for Working Voltages from 3.3 kV upto and Including 33 kV	Ageing in Air Oven Tensile Strength Variation (Insulation & Outer Sheath)	IS 10810 (Part 11)/ IS 7098 (Part 2) (Cl. 19.1-iii.b, vi.b)
21	ELECTRICAL- CABLES & WIRES	Cross Linked Polyethylene Insulated Thermoplastic Sheathed Cables for Working Voltages from 3.3 kV upto and Including 33 kV	Annealing Test (for Copper)	IS 10810 (Part 1)/ IS 7098 (Part 2) (Cl. 19.1-i-a)
22	ELECTRICAL- CABLES & WIRES	Cross Linked Polyethylene Insulated Thermoplastic Sheathed Cables for Working Voltages from 3.3 kV upto and Including 33 kV	Armour Coverage Percentage	IS 7098 (Part 2) (Cl. 17.2) Annex F
23	ELECTRICAL- CABLES & WIRES	Cross Linked Polyethylene Insulated Thermoplastic Sheathed Cables for Working Voltages from 3.3 kV upto and Including 33 kV	Bending Test	IS 10810 (Part 50)/ IS 7098 (Part 2) (Cl. 19.1-ix)
24	ELECTRICAL- CABLES & WIRES	Cross Linked Polyethylene Insulated Thermoplastic Sheathed Cables for Working Voltages from 3.3 kV upto and Including 33 kV	Carbon Content Test	IS 10810 (Part 32)/ IS 7098 (Part 2) (Cl. 19.1-vi.h)
25	ELECTRICAL- CABLES & WIRES	Cross Linked Polyethylene Insulated Thermoplastic Sheathed Cables for Working Voltages from 3.3 kV upto and Including 33 kV	Cold Impact Test	IS 10810 (Part 21)/ IS 7098 (Part 2) (Cl. 19.4)



National Accreditation Board for Testing and Calibration Laboratories

SCOPE OF ACCREDITATION

Laboratory Name :

V-MARC INDIA LIMITED (UNIT-LAB DIVISION), KHASRA NO. 1, 2 & 6, VILLAGE-MUKKARBPUR, TEHSIL-ROORKEE, HARIDWAR, UTTARAKHAND, INDIA

Accreditation Standard

ISO/IEC 17025:2017

Certificate Number

TC-17303

Page No

3 of 19

Validity

24/12/2025 to 23/12/2029

Last Amended on

-

S.No	Discipline / Group	Materials or Products tested	Component, parameter or characteristic tested / Specific Test Performed / Tests or type of tests performed	Test Method Specification against which tests are performed and / or the techniques / equipment used
26	ELECTRICAL- CABLES & WIRES	Cross Linked Polyethylene Insulated Thermoplastic Sheathed Cables for Working Voltages from 3.3 kV upto and Including 33 kV	Conductor Resistance Test	IS 10810 (Part 5)/ IS 7098 (Part 2) (Cl. 19.1-i-d)
27	ELECTRICAL- CABLES & WIRES	Cross Linked Polyethylene Insulated Thermoplastic Sheathed Cables for Working Voltages from 3.3 kV upto and Including 33 kV	Dielectric Power Factor Test as a Function of Temperature	IS 10810 (Part 48)/ IS 7098 (Part 2) (Cl. 19.1-x)
28	ELECTRICAL- CABLES & WIRES	Cross Linked Polyethylene Insulated Thermoplastic Sheathed Cables for Working Voltages from 3.3 kV upto and Including 33 kV	Dielectric Power Factor Test as a Function of Voltage	IS 10810 (Part 48)/ IS 7098 (Part 2) (Cl. 19.1-x)
29	ELECTRICAL- CABLES & WIRES	Cross Linked Polyethylene Insulated Thermoplastic Sheathed Cables for Working Voltages from 3.3 kV upto and Including 33 kV	Dimensions (Round Steel Wire/ Formed Steel Wire (Strip) Armour)	IS 10810 (Part 36)/ IS 7098 (Part 2) (Cl. 19.1-ii)
30	ELECTRICAL- CABLES & WIRES	Cross Linked Polyethylene Insulated Thermoplastic Sheathed Cables for Working Voltages from 3.3 kV upto and Including 33 kV	Elongation at Break (Insulation & Outer Sheath)	IS 10810 (Part 7)/ IS 7098 (Part 2) (Cl. 19.1.iii.a, Cl. 19.1.vi-a)
31	ELECTRICAL- CABLES & WIRES	Cross Linked Polyethylene Insulated Thermoplastic Sheathed Cables for Working Voltages from 3.3 kV upto and Including 33 kV	Elongation at Break for Armouring Material	IS 10810 (Part 37)/ IS 7098 (Part 2) (Cl. 19.1-ii)
32	ELECTRICAL- CABLES & WIRES	Cross Linked Polyethylene Insulated Thermoplastic Sheathed Cables for Working Voltages from 3.3 kV upto and Including 33 kV	Flame Retardant Test on Single Cable (For C1 & C2 Category)	IS 10810 (Part 61)/ IS 7098 (Part 2) (Cl. 19.1.3-b)
33	ELECTRICAL- CABLES & WIRES	Cross Linked Polyethylene Insulated Thermoplastic Sheathed Cables for Working Voltages from 3.3 kV upto and Including 33 kV	Flammability Test	IS 10810 (Part 53)/ IS 7098 (Part 2) (Cl. 19.1-xv)
34	ELECTRICAL- CABLES & WIRES	Cross Linked Polyethylene Insulated Thermoplastic Sheathed Cables for Working Voltages from 3.3 kV upto and Including 33 kV	Halogen Acid Gas Evolution/ Corrosive & Halogen Acid Gas	IS 10810 (Part 59)/ IS 7098 (Part 2) (Cl. 19.1.3-C2-e)
35	ELECTRICAL- CABLES & WIRES	Cross Linked Polyethylene Insulated Thermoplastic Sheathed Cables for Working Voltages from 3.3 kV upto and Including 33 kV	Heat Cycle Test	IS 10810 (Part 49)/ IS 7098 (Part 2) (Cl. 19.1-xii)
36	ELECTRICAL- CABLES & WIRES	Cross Linked Polyethylene Insulated Thermoplastic Sheathed Cables for Working Voltages from 3.3 kV upto and Including 33 kV	Heat Shock Test	IS 10810 (Part 14)/ IS 7098 (Part 2) (Cl. 19.1-vi-f)
37	ELECTRICAL- CABLES & WIRES	Cross Linked Polyethylene Insulated Thermoplastic Sheathed Cables for Working Voltages from 3.3 kV upto and Including 33 kV	High Voltage Test (4 Hour Test)	IS 10810 (Part 45)/ IS 7098 (Part 2) (Cl. 20.7.1)



National Accreditation Board for Testing and Calibration Laboratories

SCOPE OF ACCREDITATION

Laboratory Name :

V-MARC INDIA LIMITED (UNIT-LAB DIVISION), KHASRA NO. 1, 2 & 6, VILLAGE-MUKKARBPUR, TEHSIL-ROORKEE, HARIDWAR, UTTARAKHAND, INDIA

Accreditation Standard

ISO/IEC 17025:2017

Certificate Number

TC-17303

Page No

4 of 19

Validity

24/12/2025 to 23/12/2029

Last Amended on

-

S.No	Discipline / Group	Materials or Products tested	Component, parameter or characteristic tested / Specific Test Performed / Tests or type of tests performed	Test Method Specification against which tests are performed and / or the techniques / equipment used
38	ELECTRICAL- CABLES & WIRES	Cross Linked Polyethylene Insulated Thermoplastic Sheathed Cables for Working Voltages from 3.3 kV upto and Including 33 kV	High Voltage Test	IS 10810 (Part 45)/ IS 7098 (Part 2) (Cl. 19.1-xiv)
39	ELECTRICAL- CABLES & WIRES	Cross Linked Polyethylene Insulated Thermoplastic Sheathed Cables for Working Voltages from 3.3 kV upto and Including 33 kV	Hot Deformation Test/ Pressure Test at High Temperature	IS 10810 (Part 15)/ IS 7098 (Part 2) (Cl. 19.1-vi-d)
40	ELECTRICAL- CABLES & WIRES	Cross Linked Polyethylene Insulated Thermoplastic Sheathed Cables for Working Voltages from 3.3 kV upto and Including 33 kV	Hot Set Test Permanent (Insulation)	IS 10810 (Part 30)/ IS 7098 (Part 2) (Cl. 19.1-iii.d)
41	ELECTRICAL- CABLES & WIRES	Cross Linked Polyethylene Insulated Thermoplastic Sheathed Cables for Working Voltages from 3.3 kV upto and Including 33 kV	Hot Set Test Under Load (Insulation)	IS 10810 (Part 30)/ IS 7098 (Part 2) (Cl. 19.1-iii.d)
42	ELECTRICAL- CABLES & WIRES	Cross Linked Polyethylene Insulated Thermoplastic Sheathed Cables for Working Voltages from 3.3 kV upto and Including 33 kV	Impulse Withstand Test	IS 10810 (Part 47)/ IS 7098 (Part 2) (Cl. 19.1-xiii)
43	ELECTRICAL- CABLES & WIRES	Cross Linked Polyethylene Insulated Thermoplastic Sheathed Cables for Working Voltages from 3.3 kV upto and Including 33 kV	Insulation Resistance (Volume Resistivity)	IS 10810 (Part 43)/ IS 7098 (Part 2) (Cl. 19.1-xi)
44	ELECTRICAL- CABLES & WIRES	Cross Linked Polyethylene Insulated Thermoplastic Sheathed Cables for Working Voltages from 3.3 kV upto and Including 33 kV	Longitudinal Water Penetration Test	IS 7098 (Part 2) (Cl. 20.16) Annex G
45	ELECTRICAL- CABLES & WIRES	Cross Linked Polyethylene Insulated Thermoplastic Sheathed Cables for Working Voltages from 3.3 kV upto and Including 33 kV	Loss of Mass Test in Air Oven (Outer Sheath)	IS 10810 (Part 10)/ IS 7098 (Part 2) (Cl. 19.1-vi.e)
46	ELECTRICAL- CABLES & WIRES	Cross Linked Polyethylene Insulated Thermoplastic Sheathed Cables for Working Voltages from 3.3 kV upto and Including 33 kV	Mass of Zinc Coating	IS 10810 (Part 41)/ IS 7098 (Part 2) (Cl. 19.1.ii)
47	ELECTRICAL- CABLES & WIRES	Cross Linked Polyethylene Insulated Thermoplastic Sheathed Cables for Working Voltages from 3.3 kV upto and Including 33 kV	Oxygen Index Test (For C1 & C2 Category)	IS 10810 (Part 58)/ IS 7098 (Part 2) (Cl. 19.1.3-a)
48	ELECTRICAL- CABLES & WIRES	Cross Linked Polyethylene Insulated Thermoplastic Sheathed Cables for Working Voltages from 3.3 kV upto and Including 33 kV	Partial Discharge Test	IS 10810 (Part 46)/ IS 7098 (Part 2) (Cl. 19.1-viii)
49	ELECTRICAL- CABLES & WIRES	Cross Linked Polyethylene Insulated Thermoplastic Sheathed Cables for Working Voltages from 3.3 kV upto and Including 33 kV	Resistivity & Conductance Test of Armour (Wires/ Strips)	IS 10810 (Part 42)/ IS 7098 (Part 2) (Cl. 19.1.ii)



National Accreditation Board for Testing and Calibration Laboratories

SCOPE OF ACCREDITATION

Laboratory Name :

V-MARC INDIA LIMITED (UNIT-LAB DIVISION), KHASRA NO. 1, 2 & 6, VILLAGE-MUKKARBPUR, TEHSIL-ROORKEE, HARIDWAR, UTTARAKHAND, INDIA

Accreditation Standard

ISO/IEC 17025:2017

Certificate Number

TC-17303

Page No

5 of 19

Validity

24/12/2025 to 23/12/2029

Last Amended on

-

S.No	Discipline / Group	Materials or Products tested	Component, parameter or characteristic tested / Specific Test Performed / Tests or type of tests performed	Test Method Specification against which tests are performed and / or the techniques / equipment used
50	ELECTRICAL- CABLES & WIRES	Cross Linked Polyethylene Insulated Thermoplastic Sheathed Cables for Working Voltages from 3.3 kV upto and Including 33 kV	Shrinkage Test	IS 10810 (Part 12)/ IS 7098 (Part 1) (Cl. 19.1-iii.e, vi.c)
51	ELECTRICAL- CABLES & WIRES	Cross Linked Polyethylene Insulated Thermoplastic Sheathed Cables for Working Voltages from 3.3 kV upto and Including 33 kV	Shrinkage Test	IS 10810 (Part 12)/ IS 7098 (Part 2) (Cl. 19.1-iii.e, vi.c)
52	ELECTRICAL- CABLES & WIRES	Cross Linked Polyethylene Insulated Thermoplastic Sheathed Cables for Working Voltages from 3.3 kV upto and Including 33 kV	Smoke Density	IS 13360 (Part 6/ Sec 9)/ IS 7098 (Part 2) (Cl. C2-d)
53	ELECTRICAL- CABLES & WIRES	Cross Linked Polyethylene Insulated Thermoplastic Sheathed Cables for Working Voltages from 3.3 kV upto and Including 33 kV	Temperature Index (For C1 & C2 Category)	IS 10810 (Part 64)/ IS 7098 (Part 2) (Cl. 19.1.3-d-f)
54	ELECTRICAL- CABLES & WIRES	Cross Linked Polyethylene Insulated Thermoplastic Sheathed Cables for Working Voltages from 3.3 kV upto and Including 33 kV	Tensile Strength (For Aluminium)	IS 10810 (Part 2)/ IS 7098 (Part 2) (Cl. 19.1-i-b)
55	ELECTRICAL- CABLES & WIRES	Cross Linked Polyethylene Insulated Thermoplastic Sheathed Cables for Working Voltages from 3.3 kV upto and Including 33 kV	Tensile Strength (Insulation & Outer Sheath)	IS 10810 (Part 7)/ IS 7098 (Part 2) (Cl. 19.1.iii.a & Cl. 19.1.vi.a)
56	ELECTRICAL- CABLES & WIRES	Cross Linked Polyethylene Insulated Thermoplastic Sheathed Cables for Working Voltages from 3.3 kV upto and Including 33 kV	Tensile Strength for Armouring Material	IS 10810 (Part 37)/ IS 7098 (Part 2) (Cl. 19.1-ii)
57	ELECTRICAL- CABLES & WIRES	Cross Linked Polyethylene Insulated Thermoplastic Sheathed Cables for Working Voltages from 3.3 kV upto and Including 33 kV	Test for Eccentricity and Thickness of Insulation and Sheath/ Overall Dimensions	IS 10810 (Part 6)/ IS 7098 (Part 2) (Cl. 19.1-iv)
58	ELECTRICAL- CABLES & WIRES	Cross Linked Polyethylene Insulated Thermoplastic Sheathed Cables for Working Voltages from 3.3 kV upto and Including 33 kV	Test on Extruded Semiconducting Screens Volume Resistivity	IS 7098 (Part 2) (Cl. 19.1.v.b)
59	ELECTRICAL- CABLES & WIRES	Cross Linked Polyethylene Insulated Thermoplastic Sheathed Cables for Working Voltages from 3.3 kV upto and Including 33 kV	Thermal Ageing Test for Complete Cable/ Additional Ageing Test on Pieces of Completed Cables	IS 7098 (Part 2) (Cl. 19.1-vii)
60	ELECTRICAL- CABLES & WIRES	Cross Linked Polyethylene Insulated Thermoplastic Sheathed Cables for Working Voltages from 3.3 kV upto and Including 33 kV	Thermal Stability	IS 10810 (Part 60)/ IS 7098 (Part 2) (Cl. 19.1-vi.g)



National Accreditation Board for Testing and Calibration Laboratories

SCOPE OF ACCREDITATION

Laboratory Name :	V-MARC INDIA LIMITED (UNIT-LAB DIVISION), KHASRA NO. 1, 2 & 6, VILLAGE-MUKKARBPUR, TEHSIL-ROORKEE, HARIDWAR, UTTARAKHAND, INDIA		
Accreditation Standard	ISO/IEC 17025:2017		
Certificate Number	TC-17303	Page No	6 of 19
Validity	24/12/2025 to 23/12/2029	Last Amended on	-

S.No	Discipline / Group	Materials or Products tested	Component, parameter or characteristic tested / Specific Test Performed / Tests or type of tests performed	Test Method Specification against which tests are performed and / or the techniques / equipment used
61	ELECTRICAL- CABLES & WIRES	Cross Linked Polyethylene Insulated Thermoplastic Sheathed Cables for Working Voltages from 3.3 kV upto and Including 33 kV	Torsion Test on Galvanised Steel Wire for Armouring	IS 10810 (Part 38)/ IS 7098 (Part 2) (Cl. 19.1.ii)
62	ELECTRICAL- CABLES & WIRES	Cross Linked Polyethylene Insulated Thermoplastic Sheathed Cables for Working Voltages from 3.3 kV upto and Including 33 kV	Uniformity of Zinc Coating (Dip Test)	IS 10810 (Part 40)/ IS 7098 (Part 2) (Cl. 19.1.ii)
63	ELECTRICAL- CABLES & WIRES	Cross Linked Polyethylene Insulated Thermoplastic Sheathed Cables for Working Voltages from 3.3 kV upto and Including 33 kV	Water Absorption (Gravimetric Insulation)	IS 10810 (Part 33)/ IS 7098 (Part 2) (Cl. 19.1-iii.f)
64	ELECTRICAL- CABLES & WIRES	Cross Linked Polyethylene Insulated Thermoplastic Sheathed Cables for Working Voltages from 3.3 kV upto and Including 33 kV	Winding/ Wrapping Test on Galvanised Steel Strip for Armouring	IS 10810 (Part 39)/ IS 7098 (Part 2) (Cl. 19.1.ii)
65	ELECTRICAL- CABLES & WIRES	Cross Linked Polyethylene Insulated Thermoplastic Sheathed Cables for Working Voltages from 3.3 kV upto and Including 33 kV	Wrapping Test (for Aluminum)	IS 10810 (Part 3)/ IS 7098 (Part 2) (Cl. 19.1-l-c)
66	ELECTRICAL- CABLES & WIRES	Cross Linked Polyethylene Insulated Thermoplastic Sheathed Cables for Working Voltages upto and Including 1100 Volts	Ageing in Air Oven Elongation Variation (Insulation & Outer Sheath)	IS 10810 (Part 11)/ IS 7098 (Part 1) (Cl. 15.1-d-i & e-i)
67	ELECTRICAL- CABLES & WIRES	Cross Linked Polyethylene Insulated Thermoplastic Sheathed Cables for Working Voltages upto and Including 1100 Volts	Ageing in Air Oven Tensile Strength Variation (Insulation & Outer Sheath)	IS 10810 (Part 11)/ IS 7098 (Part 1) (Cl. 15.1-d-i & e-i)
68	ELECTRICAL- CABLES & WIRES	Cross Linked Polyethylene Insulated Thermoplastic Sheathed Cables for Working Voltages upto and Including 1100 Volts	Annealing Test (for Copper)	IS 10810 (Part 1)/ IS 7098 (Part 1) (Cl. 15.1-a-i)
69	ELECTRICAL- CABLES & WIRES	Cross Linked Polyethylene Insulated Thermoplastic Sheathed Cables for Working Voltages upto and Including 1100 Volts	Armour Coverage Percentage	IS 7098 (Part 1) (Cl. 13.1.2) Appendix C
70	ELECTRICAL- CABLES & WIRES	Cross Linked Polyethylene Insulated Thermoplastic Sheathed Cables for Working Voltages upto and Including 1100 Volts	Cold Bend Test	IS 10810 (Part 20)/ IS 7098 (Part 1) (Cl. 15.4-a)
71	ELECTRICAL- CABLES & WIRES	Cross Linked Polyethylene Insulated Thermoplastic Sheathed Cables for Working Voltages upto and Including 1100 Volts	Cold Impact Test	IS 10810 (Part 21)/ IS 7098 (Part 1) (Cl. 15.4-b)



National Accreditation Board for Testing and Calibration Laboratories

SCOPE OF ACCREDITATION

Laboratory Name :

V-MARC INDIA LIMITED (UNIT-LAB DIVISION), KHASRA NO. 1, 2 & 6, VILLAGE-MUKKARBPUR, TEHSIL-ROORKEE, HARIDWAR, UTTARAKHAND, INDIA

Accreditation Standard

ISO/IEC 17025:2017

Certificate Number

TC-17303

Page No

7 of 19

Validity

24/12/2025 to 23/12/2029

Last Amended on

-

S.No	Discipline / Group	Materials or Products tested	Component, parameter or characteristic tested / Specific Test Performed / Tests or type of tests performed	Test Method Specification against which tests are performed and / or the techniques / equipment used
72	ELECTRICAL- CABLES & WIRES	Cross Linked Polyethylene Insulated Thermoplastic Sheathed Cables for Working Voltages upto and Including 1100 Volts	Conductor Resistance Test	IS 10810 (Part 5)/ IS 7098 (Part 1) (Cl. 15.1-a-iv)
73	ELECTRICAL- CABLES & WIRES	Cross Linked Polyethylene Insulated Thermoplastic Sheathed Cables for Working Voltages upto and Including 1100 Volts	Dimensions (Round Steel Wire/ Formed Steel Wire (Strip) Armour)	IS 10810 (Part 36)/ IS 7098 (Part 1) (Cl. 13.3)
74	ELECTRICAL- CABLES & WIRES	Cross Linked Polyethylene Insulated Thermoplastic Sheathed Cables for Working Voltages upto and Including 1100 Volts	Elongation at Break (Insulation & Outer Sheath)	IS 10810 (Part 7)/ IS 7098 (Part 1) (Cl. 15.1-d-i, e-i)
75	ELECTRICAL- CABLES & WIRES	Cross Linked Polyethylene Insulated Thermoplastic Sheathed Cables for Working Voltages upto and Including 1100 Volts	Elongation at Break for Round Steel Wires Armour	IS 10810 (Part 37)/ IS 7098 (Part 1) (Cl. 13.6-a, b)
76	ELECTRICAL- CABLES & WIRES	Cross Linked Polyethylene Insulated Thermoplastic Sheathed Cables for Working Voltages upto and Including 1100 Volts	Flame Retardant Test on Bunched Cables (For C2 Category)	IS 10810 (Part 62)/ IS 7098 (Part 1) (Cl. 16.6, Cl. 15.1)
77	ELECTRICAL- CABLES & WIRES	Cross Linked Polyethylene Insulated Thermoplastic Sheathed Cables for Working Voltages upto and Including 1100 Volts	Flame Retardant Test on Single Cable (For C2 Category)	IS 10810 (Part 61)/ IS 7098 (Part 1) (Cl. 16.5 & Cl. 15.1.1)
78	ELECTRICAL- CABLES & WIRES	Cross Linked Polyethylene Insulated Thermoplastic Sheathed Cables for Working Voltages upto and Including 1100 Volts	Flammability Test	IS 10810 (Part 53)/ IS 7098 (Part 1) (Cl. 16.3 & Cl. 15.1-h)
79	ELECTRICAL- CABLES & WIRES	Cross Linked Polyethylene Insulated Thermoplastic Sheathed Cables for Working Voltages upto and Including 1100 Volts	Halogen Acid Gas Evolution	IS 10810 (Part 59)/ IS 7098 (Part 1) (Cl. 16.8, Cl. 15.1.1)
80	ELECTRICAL- CABLES & WIRES	Cross Linked Polyethylene Insulated Thermoplastic Sheathed Cables for Working Voltages upto and Including 1100 Volts	Heat Shock Test (Outer Sheath)	IS 10810 (Part 14)/ IS 7098 (Part 1) (Cl. 15.1-e-vi)
81	ELECTRICAL- CABLES & WIRES	Cross Linked Polyethylene Insulated Thermoplastic Sheathed Cables for Working Voltages upto and Including 1100 Volts	High Voltage Test	IS 10810 (Part 45)/ IS 7098 (Part 1) (Cl. 16.2 & Cl. 15.1-g)
82	ELECTRICAL- CABLES & WIRES	Cross Linked Polyethylene Insulated Thermoplastic Sheathed Cables for Working Voltages upto and Including 1100 Volts	Hot Deformation (Outer Sheath)	IS 10810 (Part 15)/ IS 7098 (Part 1) (Cl. 15.1-e-v)
83	ELECTRICAL- CABLES & WIRES	Cross Linked Polyethylene Insulated Thermoplastic Sheathed Cables for Working Voltages upto and Including 1100 Volts	Hot Set Test Permanent (Insulation)	IS 10810 (Part 30)/ IS 7098 (Part 1) (Cl. 15.1-d-iii)



National Accreditation Board for Testing and Calibration Laboratories

SCOPE OF ACCREDITATION

Laboratory Name :

V-MARC INDIA LIMITED (UNIT-LAB DIVISION), KHASRA NO. 1, 2 & 6, VILLAGE-MUKKARBPUR, TEHSIL-ROORKEE, HARIDWAR, UTTARAKHAND, INDIA

Accreditation Standard

ISO/IEC 17025:2017

Certificate Number

TC-17303

Page No

8 of 19

Validity

24/12/2025 to 23/12/2029

Last Amended on

-

S.No	Discipline / Group	Materials or Products tested	Component, parameter or characteristic tested / Specific Test Performed / Tests or type of tests performed	Test Method Specification against which tests are performed and / or the techniques / equipment used
84	ELECTRICAL- CABLES & WIRES	Cross Linked Polyethylene Insulated Thermoplastic Sheathed Cables for Working Voltages upto and Including 1100 Volts	Hot Set Test Under Load (Insulation)	IS 10810 (Part 30)/ IS 7098 (Part 1) (Cl. 15.1-d-iii)
85	ELECTRICAL- CABLES & WIRES	Cross Linked Polyethylene Insulated Thermoplastic Sheathed Cables for Working Voltages upto and Including 1100 Volts	Insulation Resistance (Volume Resistivity)	IS 10810 (Part 43)/ IS 7098 (Part 1) (Cl. 15.1-f)
86	ELECTRICAL- CABLES & WIRES	Cross Linked Polyethylene Insulated Thermoplastic Sheathed Cables for Working Voltages upto and Including 1100 Volts	Loss of Mass Test in Air Oven (Outer Sheath)	IS 10810 (Part 10)/ IS 7098 (Part 1) (Cl. 15.1-e-iii)
87	ELECTRICAL- CABLES & WIRES	Cross Linked Polyethylene Insulated Thermoplastic Sheathed Cables for Working Voltages upto and Including 1100 Volts	Mass of Zinc Coating (Round Steel Wire/ Formed Steel Wire (Strip) Armour)	IS 10810 (Part 41)/ IS 7098 (Part 1) (Cl. 13.6-f)
88	ELECTRICAL- CABLES & WIRES	Cross Linked Polyethylene Insulated Thermoplastic Sheathed Cables for Working Voltages upto and Including 1100 Volts	Oxygen Index Test (For C1 & C2 Category)	IS 10810 (Part 58)/ IS 7098 (Part 1) (Cl. 16.4 & Cl. 15.1.1)
89	ELECTRICAL- CABLES & WIRES	Cross Linked Polyethylene Insulated Thermoplastic Sheathed Cables for Working Voltages upto and Including 1100 Volts	Resistivity (Round Steel Wire/ Formed Steel Wire (Strip) Armour)	IS 10810 (Part 42)/ IS 7098 (Part 1) (Cl. 13.6-g)
90	ELECTRICAL- CABLES & WIRES	Cross Linked Polyethylene Insulated Thermoplastic Sheathed Cables for Working Voltages upto and Including 1100 Volts	Shrinkage Test	IS 10810 (Part 12)/ IS 7098 (Part 1) (Cl. 15.1-d-iv, e-iv)
91	ELECTRICAL- CABLES & WIRES	Cross Linked Polyethylene Insulated Thermoplastic Sheathed Cables for Working Voltages upto and Including 1100 Volts	Smoke Density	IS 13360 (Part 6/ Sec 9)/ IS 7098 (Part 1) (Cl. 16.10 & Cl. 15.1.1)
92	ELECTRICAL- CABLES & WIRES	Cross Linked Polyethylene Insulated Thermoplastic Sheathed Cables for Working Voltages upto and Including 1100 Volts	Temperature Index (For C1 & C2 Category)	IS 10810 (Part 64)/ IS 7098 (Part 1) (Cl. 16.9, Cl. 15.1.1)
93	ELECTRICAL- CABLES & WIRES	Cross Linked Polyethylene Insulated Thermoplastic Sheathed Cables for Working Voltages upto and Including 1100 Volts	Tensile Strength (For Aluminium)	IS 10810 (Part 2)/ IS 7098 (Part 1) (Cl. 15.1-a-ii)
94	ELECTRICAL- CABLES & WIRES	Cross Linked Polyethylene Insulated Thermoplastic Sheathed Cables for Working Voltages upto and Including 1100 Volts	Tensile Strength (Insulation & Outer Sheath)	IS 10810 (Part 7)/ IS 7098 (Part 1) (Cl. 15.1-d-I, e-i)



National Accreditation Board for Testing and Calibration Laboratories

SCOPE OF ACCREDITATION

Laboratory Name : V-MARC INDIA LIMITED (UNIT-LAB DIVISION), KHASRA NO. 1, 2 & 6, VILLAGE-MUKKARBPUR, TEHSIL-ROORKEE, HARIDWAR, UTTARAKHAND, INDIA

Accreditation Standard ISO/IEC 17025:2017

Certificate Number TC-17303

Page No 9 of 19

Validity 24/12/2025 to 23/12/2029

Last Amended on -

S.No	Discipline / Group	Materials or Products tested	Component, parameter or characteristic tested / Specific Test Performed / Tests or type of tests performed	Test Method Specification against which tests are performed and / or the techniques / equipment used
95	ELECTRICAL- CABLES & WIRES	Cross Linked Polyethylene Insulated Thermoplastic Sheathed Cables for Working Voltages upto and Including 1100 Volts	Tensile Strength for Steel Strip Armour	IS 10810 (Part 37)/ IS 7098 (Part 1) (Cl. 13.6-a, b)
96	ELECTRICAL- CABLES & WIRES	Cross Linked Polyethylene Insulated Thermoplastic Sheathed Cables for Working Voltages upto and Including 1100 Volts	Test for Eccentricity and Thickness of Insulation and Sheath/ Overall Dimensions	IS 10810 (Part 6)/ IS 7098 (Part 1) (Cl. 15.1-c)
97	ELECTRICAL- CABLES & WIRES	Cross Linked Polyethylene Insulated Thermoplastic Sheathed Cables for Working Voltages upto and Including 1100 Volts	Thermal Stability (Outer Sheath)	IS 10810 (Part 60)/ IS 7098 (Part 1) (Cl. 15.1-e-vii)
98	ELECTRICAL- CABLES & WIRES	Cross Linked Polyethylene Insulated Thermoplastic Sheathed Cables for Working Voltages upto and Including 1100 Volts	Torsion Test for Round Steel Wires Armour	IS 10810 (Part 38)/ IS 7098 (Part 1) (Cl. 13.6-c)
99	ELECTRICAL- CABLES & WIRES	Cross Linked Polyethylene Insulated Thermoplastic Sheathed Cables for Working Voltages upto and Including 1100 Volts	Uniformity of Zinc Coating (Round Steel Wire/ Formed Steel Wire (Strip) Armour)	IS 10810 (Part 41)/ IS 7098 (Part 1) (Cl. 13.6-e)
100	ELECTRICAL- CABLES & WIRES	Cross Linked Polyethylene Insulated Thermoplastic Sheathed Cables for Working Voltages upto and Including 1100 Volts	Water Absorption (Gravimetric Insulation)	IS 10810 (Part 33)/ IS 7098 (Part 1) (Cl. 15.1-d-v)
101	ELECTRICAL- CABLES & WIRES	Cross Linked Polyethylene Insulated Thermoplastic Sheathed Cables for Working Voltages upto and Including 1100 Volts	Winding Test for Formed Steel Wire (Strip) Armour	IS 10810 (Part 39)/ IS 7098 (Part 1) (Cl. 13.6-d)
102	ELECTRICAL- CABLES & WIRES	Cross Linked Polyethylene Insulated Thermoplastic Sheathed Cables for Working Voltages upto and Including 1100 Volts	Wrapping Test (for Aluminum)	IS 10810 (Part 3)/ IS 7098 (Part 1) (Cl. 15.1-a-iii)
103	ELECTRICAL- CABLES & WIRES	Polyvinyl Chloride Insulated (Heavy Duty) Electric Cables for Working Voltages from 3.3 kV upto and Including 11 kV	Ageing in Air Oven Elongation Variation (Insulation & Outer Sheath)	IS 10810 (Part 11)/ IS 1554 (Part 2) (Cl. 18.1-d-2)
104	ELECTRICAL- CABLES & WIRES	Polyvinyl Chloride Insulated (Heavy Duty) Electric Cables for Working Voltages from 3.3 kV upto and Including 11 kV	Ageing in Air Oven Tensile Strength Variation (Insulation & Outer Sheath)	IS 10810 (Part 11)/ IS 1554 (Part 2) (Cl. 18.1-d-2)



National Accreditation Board for Testing and Calibration Laboratories

SCOPE OF ACCREDITATION

Laboratory Name : V-MARC INDIA LIMITED (UNIT-LAB DIVISION), KHASRA NO. 1, 2 & 6, VILLAGE-MUKKARBPUR, TEHSIL-ROORKEE, HARIDWAR, UTTARAKHAND, INDIA

Accreditation Standard ISO/IEC 17025:2017

Certificate Number TC-17303

Page No 10 of 19

Validity 24/12/2025 to 23/12/2029

Last Amended on -

S.No	Discipline / Group	Materials or Products tested	Component, parameter or characteristic tested / Specific Test Performed / Tests or type of tests performed	Test Method Specification against which tests are performed and / or the techniques / equipment used
105	ELECTRICAL- CABLES & WIRES	Polyvinyl Chloride Insulated (Heavy Duty) Electric Cables for Working Voltages from 3.3 kV upto and Including 11 kV	Annealing Test (for Copper Wire)	IS 10810 (Part 1)/ IS 1554 (Part 2) (Cl. 18.1-a-1)
106	ELECTRICAL- CABLES & WIRES	Polyvinyl Chloride Insulated (Heavy Duty) Electric Cables for Working Voltages from 3.3 kV upto and Including 11 kV	Armour Coverage Percentage	IS 1554 (Part 2) (Cl. 16.1.2) Appendix C
107	ELECTRICAL- CABLES & WIRES	Polyvinyl Chloride Insulated (Heavy Duty) Electric Cables for Working Voltages from 3.3 kV upto and Including 11 kV	Bending Test	IS 10810 (Part 50)/ IS 1554 (Part 2) (Cl. 18.1-g)
108	ELECTRICAL- CABLES & WIRES	Polyvinyl Chloride Insulated (Heavy Duty) Electric Cables for Working Voltages from 3.3 kV upto and Including 11 kV	Cold Impact Test	IS 10810 (Part 21)/ IS 1554 (Part 2) (Cl. 18.4)
109	ELECTRICAL- CABLES & WIRES	Polyvinyl Chloride Insulated (Heavy Duty) Electric Cables for Working Voltages from 3.3 kV upto and Including 11 kV	Conductor Resistance Test	IS 10810 (Part 5)/ IS 1554 (Part 2) (Cl. 18.1-a-4)
110	ELECTRICAL- CABLES & WIRES	Polyvinyl Chloride Insulated (Heavy Duty) Electric Cables for Working Voltages from 3.3 kV upto and Including 11 kV	Dielectric Power Factor Test as a Function of Temperature	IS 10810 (Part 48)/ IS 1554 (Part 2) (Cl. 18.1-h-1)
111	ELECTRICAL- CABLES & WIRES	Polyvinyl Chloride Insulated (Heavy Duty) Electric Cables for Working Voltages from 3.3 kV upto and Including 11 kV	Dielectric Power Factor Test as a Function of Voltage	IS 10810 (Part 48)/ IS 1554 (Part 2) (Cl. 18.1-h-1)
112	ELECTRICAL- CABLES & WIRES	Polyvinyl Chloride Insulated (Heavy Duty) Electric Cables for Working Voltages from 3.3 kV upto and Including 11 kV	Dimensions (Round Steel Wire/ Formed Steel Wire (Strip) Armour)	IS 10810 (Part 36)/ IS 1554 (Part 2) (Cl. 18.1-b-1)
113	ELECTRICAL- CABLES & WIRES	Polyvinyl Chloride Insulated (Heavy Duty) Electric Cables for Working Voltages from 3.3 kV upto and Including 11 kV	Elongation at Break (Insulation & Outer Sheath)	IS 10810 (Part 7)/ IS 1554 (Part 2) (Cl. 18.1-d-1)
114	ELECTRICAL- CABLES & WIRES	Polyvinyl Chloride Insulated (Heavy Duty) Electric Cables for Working Voltages from 3.3 kV upto and Including 11 kV	Elongation at Break for Armouring Material	IS 10810 (Part 37)/ IS 1554 (Part 2) (Cl. 18.1-b.2-ii)
115	ELECTRICAL- CABLES & WIRES	Polyvinyl Chloride Insulated (Heavy Duty) Electric Cables for Working Voltages from 3.3 kV upto and Including 11 kV	Flame Retardant Test on Bunched Cables (For C1 & C2 Category)	IS 10810 (Part 62)/ IS 7098 (Part 2) (Cl. 19.11)
116	ELECTRICAL- CABLES & WIRES	Polyvinyl Chloride Insulated (Heavy Duty) Electric Cables for Working Voltages from 3.3 kV upto and Including 11 kV	Flame Retardant Test on Single Cable (For C1 & C2 Category)	IS 10810 (Part 61)/ IS 1554 (Part 2) (Cl. 19.10)



National Accreditation Board for Testing and Calibration Laboratories

SCOPE OF ACCREDITATION

Laboratory Name :	V-MARC INDIA LIMITED (UNIT-LAB DIVISION), KHASRA NO. 1, 2 & 6, VILLAGE-MUKKARBPUR, TEHSIL-ROORKEE, HARIDWAR, UTTARAKHAND, INDIA		
Accreditation Standard	ISO/IEC 17025:2017		
Certificate Number	TC-17303	Page No	11 of 19
Validity	24/12/2025 to 23/12/2029	Last Amended on	-

S.No	Discipline / Group	Materials or Products tested	Component, parameter or characteristic tested / Specific Test Performed / Tests or type of tests performed	Test Method Specification against which tests are performed and / or the techniques / equipment used
117	ELECTRICAL- CABLES & WIRES	Polyvinyl Chloride Insulated (Heavy Duty) Electric Cables for Working Voltages from 3.3 kV upto and Including 11 kV	Flammability Test	IS 10810 (Part 53)/ IS 1554 (Part 2) (Cl. 18.1-n)
118	ELECTRICAL- CABLES & WIRES	Polyvinyl Chloride Insulated (Heavy Duty) Electric Cables for Working Voltages from 3.3 kV upto and Including 11 kV	Halogen Acid Gas Evolution/ Corrosive & Halogen Acid Gas	IS 10810 (Part 59)/ IS 1554 (Part 2) (Cl. 19.13)
119	ELECTRICAL- CABLES & WIRES	Polyvinyl Chloride Insulated (Heavy Duty) Electric Cables for Working Voltages from 3.3 kV upto and Including 11 kV	Heat Cycle Test	IS 10810 (Part 49)/ IS 1554 (Part 2) (Cl. 18.1-j)
120	ELECTRICAL- CABLES & WIRES	Polyvinyl Chloride Insulated (Heavy Duty) Electric Cables for Working Voltages from 3.3 kV upto and Including 11 kV	Heat Shock Test	IS 10810 (Part 14)/ IS 1554 (Part 2) (Cl. 18.1-d-6)
121	ELECTRICAL- CABLES & WIRES	Polyvinyl Chloride Insulated (Heavy Duty) Electric Cables for Working Voltages from 3.3 kV upto and Including 11 kV	High Voltage Test	IS 10810 (Part 45)/ IS 1554 (Part 2) (Cl. 18.1-m)
122	ELECTRICAL- CABLES & WIRES	Polyvinyl Chloride Insulated (Heavy Duty) Electric Cables for Working Voltages from 3.3 kV upto and Including 11 kV	High Voltage Test (4 Hour Test)	IS 10810 (Part 45)/ IS 1554 (Part 2) (Cl. 19.7)
123	ELECTRICAL- CABLES & WIRES	Polyvinyl Chloride Insulated (Heavy Duty) Electric Cables for Working Voltages from 3.3 kV upto and Including 11 kV	Hot Deformation Test/ Pressure Test at High Temperature	IS 10810 (Part 15)/ IS 1554 (Part 2) (Cl. 18.1-d-4)
124	ELECTRICAL- CABLES & WIRES	Polyvinyl Chloride Insulated (Heavy Duty) Electric Cables for Working Voltages from 3.3 kV upto and Including 11 kV	Impulse Withstand Test	IS 10810 (Part 47)/ IS 1554 (Part 2) (Cl. 18.1-k)
125	ELECTRICAL- CABLES & WIRES	Polyvinyl Chloride Insulated (Heavy Duty) Electric Cables for Working Voltages from 3.3 kV upto and Including 11 kV	Insulation Resistance (Volume Resistivity)	IS 10810 (Part 43)/ IS 1554 (Part 2) (Cl. 18.1-e)
126	ELECTRICAL- CABLES & WIRES	Polyvinyl Chloride Insulated (Heavy Duty) Electric Cables for Working Voltages from 3.3 kV upto and Including 11 kV	Loss of Mass Test in Air Oven (Outer Sheath)	IS 10810 (Part 10)/ IS 1554 (Part 2) (Cl. 18.1-d-5)
127	ELECTRICAL- CABLES & WIRES	Polyvinyl Chloride Insulated (Heavy Duty) Electric Cables for Working Voltages from 3.3 kV upto and Including 11 kV	Mass of Zinc Coating	IS 10810 (Part 41)/ IS 1554 (Part 2) (Cl. 18.1-b-vi)
128	ELECTRICAL- CABLES & WIRES	Polyvinyl Chloride Insulated (Heavy Duty) Electric Cables for Working Voltages from 3.3 kV upto and Including 11 kV	Oxygen Index Test (For C1 & C2 Category)	IS 10810 (Part 58)/ IS 1554 (Part 2) (Cl. 19.9)



National Accreditation Board for Testing and Calibration Laboratories

SCOPE OF ACCREDITATION

Laboratory Name : V-MARC INDIA LIMITED (UNIT-LAB DIVISION), KHASRA NO. 1, 2 & 6, VILLAGE-MUKKARBPUR, TEHSIL-ROORKEE, HARIDWAR, UTTARAKHAND, INDIA

Accreditation Standard ISO/IEC 17025:2017

Certificate Number TC-17303

Page No 12 of 19

Validity 24/12/2025 to 23/12/2029

Last Amended on -

S.No	Discipline / Group	Materials or Products tested	Component, parameter or characteristic tested / Specific Test Performed / Tests or type of tests performed	Test Method Specification against which tests are performed and / or the techniques / equipment used
129	ELECTRICAL- CABLES & WIRES	Polyvinyl Chloride Insulated (Heavy Duty) Electric Cables for Working Voltages from 3.3 kV upto and Including 11 kV	Partial Discharge Test	IS 10810 (Part 46)/ IS 1554 (Part 2) (Cl. 18.1-f)
130	ELECTRICAL- CABLES & WIRES	Polyvinyl Chloride Insulated (Heavy Duty) Electric Cables for Working Voltages from 3.3 kV upto and Including 11 kV	Resistivity & Conductance Test of Armour (Wires/ Strips)	IS 10810 (Part 42)/ IS 1554 (Part 2) (Cl. 18.1-b.vii)
131	ELECTRICAL- CABLES & WIRES	Polyvinyl Chloride Insulated (Heavy Duty) Electric Cables for Working Voltages from 3.3 kV upto and Including 11 kV	Shrinkage Test	IS 10810 (Part 12)/ IS 1554 (Part 2) (Cl. 18.1-d-3)
132	ELECTRICAL- CABLES & WIRES	Polyvinyl Chloride Insulated (Heavy Duty) Electric Cables for Working Voltages from 3.3 kV upto and Including 11 kV	Smoke Density	IS 13360 (Part 6/ Sec 9)/ IS 1554 (Part 2) (Cl. 19.12)
133	ELECTRICAL- CABLES & WIRES	Polyvinyl Chloride Insulated (Heavy Duty) Electric Cables for Working Voltages from 3.3 kV upto and Including 11 kV	Temperature Index (For C1 & C2 Category)	IS 10810 (Part 58)/ IS 1554 (Part 2) (Cl. 19.14)
134	ELECTRICAL- CABLES & WIRES	Polyvinyl Chloride Insulated (Heavy Duty) Electric Cables for Working Voltages from 3.3 kV upto and Including 11 kV	Tensile Strength (For Aluminium)	IS 10810 (Part 2)/ IS 1554 (Part 2) (Cl. 18.1-a-2)
135	ELECTRICAL- CABLES & WIRES	Polyvinyl Chloride Insulated (Heavy Duty) Electric Cables for Working Voltages from 3.3 kV upto and Including 11 kV	Tensile Strength (Insulation & Outer Sheath)	IS 10810 (Part 7)/ IS 1554 (Part 2) (Cl. 18.1-d-1)
136	ELECTRICAL- CABLES & WIRES	Polyvinyl Chloride Insulated (Heavy Duty) Electric Cables for Working Voltages from 3.3 kV upto and Including 11 kV	Tensile Strength for Armouring Material	IS 10810 (Part 37)/ IS 1554 (Part 2) (Cl. 18.1-b.2-i)
137	ELECTRICAL- CABLES & WIRES	Polyvinyl Chloride Insulated (Heavy Duty) Electric Cables for Working Voltages from 3.3 kV upto and Including 11 kV	Test for Thickness of Insulation and Sheath/ Overall Dimensions	IS 10810 (Part 6)/ IS 1554 (Part 2) (Cl. 18.1-c)
138	ELECTRICAL- CABLES & WIRES	Polyvinyl Chloride Insulated (Heavy Duty) Electric Cables for Working Voltages from 3.3 kV upto and Including 11 kV	Thermal Stability	IS 10810 (Part 60)/ IS 1554 (Part 2) (Cl. 18.1-d-7)
139	ELECTRICAL- CABLES & WIRES	Polyvinyl Chloride Insulated (Heavy Duty) Electric Cables for Working Voltages from 3.3 kV upto and Including 11 kV	Torsion Test on Galvanised Steel Wire for Armouring	IS 10810 (Part 38)/ IS 1554 (Part 2) (Cl. 18.1-b-2.iii)
140	ELECTRICAL- CABLES & WIRES	Polyvinyl Chloride Insulated (Heavy Duty) Electric Cables for Working Voltages from 3.3 kV upto and Including 11 kV	Uniformity of Zinc Coating (Dip Test)	IS 10810 (Part 40)/ IS 1554 (Part 2) (Cl. 18.1-b-v)



National Accreditation Board for Testing and Calibration Laboratories

SCOPE OF ACCREDITATION

Laboratory Name : V-MARC INDIA LIMITED (UNIT-LAB DIVISION), KHASRA NO. 1, 2 & 6, VILLAGE-MUKKARBPUR, TEHSIL-ROORKEE, HARIDWAR, UTTARAKHAND, INDIA

Accreditation Standard ISO/IEC 17025:2017

Certificate Number TC-17303

Page No 13 of 19

Validity 24/12/2025 to 23/12/2029

Last Amended on -

S.No	Discipline / Group	Materials or Products tested	Component, parameter or characteristic tested / Specific Test Performed / Tests or type of tests performed	Test Method Specification against which tests are performed and / or the techniques / equipment used
141	ELECTRICAL- CABLES & WIRES	Polyvinyl Chloride Insulated (Heavy Duty) Electric Cables for Working Voltages from 3.3 kV upto and Including 11 kV	Water Absorption (Gravimetric Insulation)	IS 10810 (Part 33)/ IS 1554 (Part 1) (Cl. 18.1-d-8)
142	ELECTRICAL- CABLES & WIRES	Polyvinyl Chloride Insulated (Heavy Duty) Electric Cables for Working Voltages from 3.3 kV upto and Including 11 kV	Winding/ Wrapping Test on Galvanised Steel Strip for Armouring	IS 10810 (Part 39)/ IS 1554 (Part 2) (Cl. 18.1-2-iv)
143	ELECTRICAL- CABLES & WIRES	Polyvinyl Chloride Insulated (Heavy Duty) Electric Cables for Working Voltages from 3.3 kV upto and Including 11 kV	Wrapping Test (for Aluminium)	IS 10810 (Part 3)/ IS 1554 (Part 2) (Cl. 18.1-a-3)
144	ELECTRICAL- CABLES & WIRES	Polyvinyl Chloride Insulated (Heavy Duty) Electric Cables For Working Voltages upto and Including 1100 Volts	a.c. High Voltage Test (Water Immersion Test)	IS 10810 (Part 45)/ IS 1554 (Part 1) (Cl. 16.3, Cl. 15.1-f)
145	ELECTRICAL- CABLES & WIRES	Polyvinyl Chloride Insulated (Heavy Duty) Electric Cables For Working Voltages upto and Including 1100 Volts	Ageing in Air Oven Elongation Variation (Insulation & Outer Sheath)	IS 10810 (Part 11)/ IS 1554 (Part 1) (Cl. 15.1-d-2)
146	ELECTRICAL- CABLES & WIRES	Polyvinyl Chloride Insulated (Heavy Duty) Electric Cables For Working Voltages upto and Including 1100 Volts	Ageing in Air Oven Tensile Strength Variation (Insulation & Outer Sheath)	IS 10810 (Part 11)/ IS 1554 (Part 1) (Cl. 15.1-d-2)
147	ELECTRICAL- CABLES & WIRES	Polyvinyl Chloride Insulated (Heavy Duty) Electric Cables For Working Voltages upto and Including 1100 Volts	Annealing Test (for Copper)	IS 10810 (Part 1)/ IS 1554 (Part 1) (Cl. 15.1-a-1)
148	ELECTRICAL- CABLES & WIRES	Polyvinyl Chloride Insulated (Heavy Duty) Electric Cables For Working Voltages upto and Including 1100 Volts	Armour Coverage Percentage	IS 1554 (Part 1) (Cl. 13.1.2) Appendix C
149	ELECTRICAL- CABLES & WIRES	Polyvinyl Chloride Insulated (Heavy Duty) Electric Cables For Working Voltages upto and Including 1100 Volts	Conductor Resistance Test	IS 10810 (Part 5)/ IS 1554 (Part 1) (Cl. 15.1-a-4)
150	ELECTRICAL- CABLES & WIRES	Polyvinyl Chloride Insulated (Heavy Duty) Electric Cables For Working Voltages upto and Including 1100 Volts	Dimensions (Round Steel Wire/ Formed Steel Wire Strip Armour)	IS 10810 (Part 36)/ IS 1554 (Part 1) (Cl. 13.3)
151	ELECTRICAL- CABLES & WIRES	Polyvinyl Chloride Insulated (Heavy Duty) Electric Cables For Working Voltages upto and Including 1100 Volts	Elongation (Insulation & Outer Sheath)	IS 10810 (Part 7)/ IS 1554 (Part 1) (Cl. 15.1-d-1)



National Accreditation Board for Testing and Calibration Laboratories

SCOPE OF ACCREDITATION

Laboratory Name :	V-MARC INDIA LIMITED (UNIT-LAB DIVISION), KHASRA NO. 1, 2 & 6, VILLAGE-MUKKARBPUR, TEHSIL-ROORKEE, HARIDWAR, UTTARAKHAND, INDIA		
Accreditation Standard	ISO/IEC 17025:2017		
Certificate Number	TC-17303	Page No	14 of 19
Validity	24/12/2025 to 23/12/2029	Last Amended on	-

S.No	Discipline / Group	Materials or Products tested	Component, parameter or characteristic tested / Specific Test Performed / Tests or type of tests performed	Test Method Specification against which tests are performed and / or the techniques / equipment used
152	ELECTRICAL- CABLES & WIRES	Polyvinyl Chloride Insulated (Heavy Duty) Electric Cables For Working Voltages upto and Including 1100 Volts	Elongation at Round/ Formed Wire Armour	IS 10810 (Part 37)/ IS 1554 (Part 1) (Cl. 13.6-a, b)
153	ELECTRICAL- CABLES & WIRES	Polyvinyl Chloride Insulated (Heavy Duty) Electric Cables For Working Voltages upto and Including 1100 Volts	Flame Retardant Test on Bunched Cables (For C2 Category)	IS 10810 (Part 62)/ IS 1554 (Part 1) (Cl. 16.7 & Cl. 15.1.1)
154	ELECTRICAL- CABLES & WIRES	Polyvinyl Chloride Insulated (Heavy Duty) Electric Cables For Working Voltages upto and Including 1100 Volts	Flame Retardant Test on Single Cable	IS 10810 (Part 61)/ IS 1554 (Part 1) (Cl. 16.6 & Cl. 15.1.1)
155	ELECTRICAL- CABLES & WIRES	Polyvinyl Chloride Insulated (Heavy Duty) Electric Cables For Working Voltages upto and Including 1100 Volts	Flammability Test	IS 10810 (Part 53)/ IS 1554 (Part 1) (Cl. 16.4 & Cl. 15.1-h)
156	ELECTRICAL- CABLES & WIRES	Polyvinyl Chloride Insulated (Heavy Duty) Electric Cables For Working Voltages upto and Including 1100 Volts	Halogen Acid Gas Evolution (For C1 & C2 Category)	IS 10810 (Part 59)/ IS 1554 (Part 1) (Cl. 16.9 & Cl. 15.1.1)
157	ELECTRICAL- CABLES & WIRES	Polyvinyl Chloride Insulated (Heavy Duty) Electric Cables For Working Voltages upto and Including 1100 Volts	Heat Shock Test (Insulation & Outer Sheath)	IS 10810 (Part 14)/ IS 1554 (Part 1) (Cl. 15.1-d-6)
158	ELECTRICAL- CABLES & WIRES	Polyvinyl Chloride Insulated (Heavy Duty) Electric Cables For Working Voltages upto and Including 1100 Volts	High Voltage Test at Room Temperature	IS 10810 (Part 45)/ IS 1554 (Part 1) (Cl. 16.2, Cl. 15.1-g)
159	ELECTRICAL- CABLES & WIRES	Polyvinyl Chloride Insulated (Heavy Duty) Electric Cables For Working Voltages upto and Including 1100 Volts	Hot Deformation (Insulation & Outer Sheath)	IS 10810 (Part 15)/ IS 1554 (Part 1) (Cl. 15.1-d-4)
160	ELECTRICAL- CABLES & WIRES	Polyvinyl Chloride Insulated (Heavy Duty) Electric Cables For Working Voltages upto and Including 1100 Volts	Insulation Resistance (Volume Resistivity)	IS 10810 (Part 43)/ IS 1554 (Part 1) (Cl. 15.1-e)
161	ELECTRICAL- CABLES & WIRES	Polyvinyl Chloride Insulated (Heavy Duty) Electric Cables For Working Voltages upto and Including 1100 Volts	Loss of Mass in Air Oven (Insulation & Outer Sheath)	IS 10810 (Part 10)/ IS 1554 (Part 1) (Cl. 15.1-d-5)
162	ELECTRICAL- CABLES & WIRES	Polyvinyl Chloride Insulated (Heavy Duty) Electric Cables For Working Voltages upto and Including 1100 Volts	Mass of Zinc Coating (Round Steel Wire/ Formed Steel Wire (Strip) Armour)	IS 10810 (Part 41)/ IS 1554 (Part 1) (Cl. 13.6-f)



National Accreditation Board for Testing and Calibration Laboratories

SCOPE OF ACCREDITATION

Laboratory Name : V-MARC INDIA LIMITED (UNIT-LAB DIVISION), KHASRA NO. 1, 2 & 6, VILLAGE-MUKKARBPUR, TEHSIL-ROORKEE, HARIDWAR, UTTARAKHAND, INDIA

Accreditation Standard ISO/IEC 17025:2017

Certificate Number TC-17303

Page No 15 of 19

Validity 24/12/2025 to 23/12/2029

Last Amended on -

S.No	Discipline / Group	Materials or Products tested	Component, parameter or characteristic tested / Specific Test Performed / Tests or type of tests performed	Test Method Specification against which tests are performed and / or the techniques / equipment used
163	ELECTRICAL- CABLES & WIRES	Polyvinyl Chloride Insulated (Heavy Duty) Electric Cables For Working Voltages upto and Including 1100 Volts	Oxygen Index Test (For C1 & C2 Category)	IS 10810 (Part 58)/ IS 1554 (Part 1) (Cl. 16.5, Cl. 15.1.1)
164	ELECTRICAL- CABLES & WIRES	Polyvinyl Chloride Insulated (Heavy Duty) Electric Cables For Working Voltages upto and Including 1100 Volts	Resistivity (Round Steel Wire/ Formed Steel Wire Strip Armour)	IS 10810 (Part 42)/ IS 1554 (Part 1) (Cl. 13.6-g)
165	ELECTRICAL- CABLES & WIRES	Polyvinyl Chloride Insulated (Heavy Duty) Electric Cables For Working Voltages upto and Including 1100 Volts	Shrinkage Test (Insulation & Outer Sheath)	IS 10810 (Part 12)/ IS 1554 (Part 1) (Cl. 15.1-d-3)
166	ELECTRICAL- CABLES & WIRES	Polyvinyl Chloride Insulated (Heavy Duty) Electric Cables For Working Voltages upto and Including 1100 Volts	Smoke Density	IS 13360 (Part 6/ Sec 9)/ IS 1554 (Part 1)
167	ELECTRICAL- CABLES & WIRES	Polyvinyl Chloride Insulated (Heavy Duty) Electric Cables For Working Voltages upto and Including 1100 Volts	Temperature Index (For C1 & C2 Category)	IS 10810 (Part 64)/ IS 1554 (Part 1) (Cl. 16.10 & Cl. 15.1.1)
168	ELECTRICAL- CABLES & WIRES	Polyvinyl Chloride Insulated (Heavy Duty) Electric Cables For Working Voltages upto and Including 1100 Volts	Tensile Strength (Insulation & Outer Sheath)	IS 10810 (Part 7)/ IS 1554 (Part 1) (Cl. 15.1-d-1)
169	ELECTRICAL- CABLES & WIRES	Polyvinyl Chloride Insulated (Heavy Duty) Electric Cables For Working Voltages upto and Including 1100 Volts	Tensile Strength (Round/ Formed Wire Armour)	IS 10810 (Part 37)/ IS 1554 (Part 1) (Cl. 13.6-a, b)
170	ELECTRICAL- CABLES & WIRES	Polyvinyl Chloride Insulated (Heavy Duty) Electric Cables For Working Voltages upto and Including 1100 Volts	Tensile Test (for Aluminium)	IS 10810 (Part 2)/ IS 1554 (Part 1) (Cl. 15.1-a-2)
171	ELECTRICAL- CABLES & WIRES	Polyvinyl Chloride Insulated (Heavy Duty) Electric Cables For Working Voltages upto and Including 1100 Volts	Test for Thickness of Insulation and Sheath	IS 10810 (Part 6)/ IS 1554 (Part 1) (Cl. 15.1-c)
172	ELECTRICAL- CABLES & WIRES	Polyvinyl Chloride Insulated (Heavy Duty) Electric Cables For Working Voltages upto and Including 1100 Volts	Thermal Stability (Insulation & Sheath)	IS 10810 (Part 60)/ IS 1554 (Part 1)
173	ELECTRICAL- CABLES & WIRES	Polyvinyl Chloride Insulated (Heavy Duty) Electric Cables For Working Voltages upto and Including 1100 Volts	Torsion Test for Round Steel Wires Armour	IS 10810 (Part 38)/ IS 1554 (Part 1) (Cl. 13.6-c)



National Accreditation Board for Testing and Calibration Laboratories

SCOPE OF ACCREDITATION

Laboratory Name :	V-MARC INDIA LIMITED (UNIT-LAB DIVISION), KHASRA NO. 1, 2 & 6, VILLAGE-MUKKARBPUR, TEHSIL-ROORKEE, HARIDWAR, UTTARAKHAND, INDIA		
Accreditation Standard	ISO/IEC 17025:2017		
Certificate Number	TC-17303	Page No	16 of 19
Validity	24/12/2025 to 23/12/2029	Last Amended on	-

S.No	Discipline / Group	Materials or Products tested	Component, parameter or characteristic tested / Specific Test Performed / Tests or type of tests performed	Test Method Specification against which tests are performed and / or the techniques / equipment used
174	ELECTRICAL- CABLES & WIRES	Polyvinyl Chloride Insulated (Heavy Duty) Electric Cables For Working Voltages upto and Including 1100 Volts	Uniformity of Zinc Coating (Round Steel Wire/ Formed Steel Wire Strip Armour)	IS 10810 (Part 40)/ IS 1554 (Part 1) (Cl. 13.6-e)
175	ELECTRICAL- CABLES & WIRES	Polyvinyl Chloride Insulated (Heavy Duty) Electric Cables For Working Voltages upto and Including 1100 Volts	Winding Test for Formed Steel Wire (Strip) Armour	IS 10810 (Part 39)/ IS 1554 (Part 1) (Cl. 13.6-d)
176	ELECTRICAL- CABLES & WIRES	Polyvinyl Chloride Insulated (Heavy Duty) Electric Cables For Working Voltages upto and Including 1100 Volts	Wrapping Test (for Aluminium)	IS 10810 (Part 3)/ IS 1554 (Part 1) (Cl. 15.1-a-3)
177	ELECTRICAL- CABLES & WIRES	Polyvinyl Chloride Insulated Unsheathed and Sheathed Cables/ Cords with Rigid and Flexible Conductor for Rated Voltages upto and Including 1100 V	a.c. High Voltage Test (Water Immersion Test)	IS 10810 (Part 45)/ IS 694 (Cl. 10.1/ Table No.1-iii-e-1)
178	ELECTRICAL- CABLES & WIRES	Polyvinyl Chloride Insulated Unsheathed and Sheathed Cables/ Cords with Rigid and Flexible Conductor for Rated Voltages upto and Including 1100 Volts	Additional Ageing Tests (for Cables for Outdoor Use)	IS 694 (Cl. 10.9)
179	ELECTRICAL- CABLES & WIRES	Polyvinyl Chloride Insulated Unsheathed and Sheathed Cables/ Cords with Rigid and Flexible Conductor for Rated Voltages upto and Including 1100 Volts	Ageing in Air Oven Elongation at Break Variation (Insulation & Sheath)	IS 10810 (Part 11)/ IS 694 (Cl. 10 / Table No. 1-iii-c-3, d-3)
180	ELECTRICAL- CABLES & WIRES	Polyvinyl Chloride Insulated Unsheathed and Sheathed Cables/ Cords with Rigid and Flexible Conductor for Rated Voltages upto and Including 1100 Volts	Ageing in Air Oven Tensile Strength Variation (Insulation & Sheath)	IS 10810 (Part 11)/ IS 694 (Cl. 10/ Table No.1-iii-c-3, d-3)
181	ELECTRICAL- CABLES & WIRES	Polyvinyl Chloride Insulated Unsheathed and Sheathed Cables/ Cords with Rigid and Flexible Conductor for Rated Voltages upto and Including 1100 Volts	Annealing Test (for Copper)	IS 10810 (Part 1)/ IS 694 (Cl. 10 /Table No.1-ii-a, iii-1)
182	ELECTRICAL- CABLES & WIRES	Polyvinyl Chloride Insulated Unsheathed and Sheathed Cables/ Cords with Rigid and Flexible Conductor for Rated Voltages upto and Including 1100 Volts	Cold Bend Test (Insulation & Sheath)	IS 10810 (Part 20)/ IS 694 (Table No.1-iii-c- 8)



National Accreditation Board for Testing and Calibration Laboratories

SCOPE OF ACCREDITATION

Laboratory Name : V-MARC INDIA LIMITED (UNIT-LAB DIVISION), KHASRA NO. 1, 2 & 6, VILLAGE-MUKKARBPUR, TEHSIL-ROORKEE, HARIDWAR, UTTARAKHAND, INDIA

Accreditation Standard ISO/IEC 17025:2017

Certificate Number TC-17303

Page No 17 of 19

Validity 24/12/2025 to 23/12/2029

Last Amended on -

S.No	Discipline / Group	Materials or Products tested	Component, parameter or characteristic tested / Specific Test Performed / Tests or type of tests performed	Test Method Specification against which tests are performed and / or the techniques / equipment used
183	ELECTRICAL- CABLES & WIRES	Polyvinyl Chloride Insulated Unsheathed and Sheathed Cables/ Cords with Rigid and Flexible Conductor for Rated Voltages upto and Including 1100 Volts	Cold Impact Test (Insulation & Sheath)	IS 10810 (Part 21)/ IS 694 (Table No.1-iii-c-9)
184	ELECTRICAL- CABLES & WIRES	Polyvinyl Chloride Insulated Unsheathed and Sheathed Cables/ Cords with Rigid and Flexible Conductor for Rated Voltages upto and Including 1100 Volts	Conductor Resistance Test	IS 10810 (Part 5)/ IS 694 (Cl. 4.2 /Table No.1-ii -d, iii-a-4)
185	ELECTRICAL- CABLES & WIRES	Polyvinyl Chloride Insulated Unsheathed and Sheathed Cables/ Cords with Rigid and Flexible Conductor for Rated Voltages upto and Including 1100 Volts	d.c. High Voltage Test (Water Immersion)	IS 10810 (Part 45)/ IS 694 (Cl. 10.1)
186	ELECTRICAL- CABLES & WIRES	Polyvinyl Chloride Insulated Unsheathed and Sheathed Cables/ Cords with Rigid and Flexible Conductor for Rated Voltages upto and Including 1100 Volts	Elongation at Break (Insulation & Sheath)	IS 10810 (Part 7)/ IS 694 (Cl. 10 /Table No.1-iii-c-1, d-1)
187	ELECTRICAL- CABLES & WIRES	Polyvinyl Chloride Insulated Unsheathed and Sheathed Cables/ Cords with Rigid and Flexible Conductor for Rated Voltages upto and Including 1100 Volts	Flammability Test	IS 10810 (Part 53)/ IS 694 (Cl. 10.4/Table No.1-iii-c-10, e-5)
188	ELECTRICAL- CABLES & WIRES	Polyvinyl Chloride Insulated Unsheathed and Sheathed Cables/ Cords with Rigid and Flexible Conductor for Rated Voltages upto and Including 1100 Volts	Halogen Acid Gas Evaluation	IS 10810 (Part 59)/ IS 694 (Cl. 10.6 / Table No.1-iii-c-13, d-10)
189	ELECTRICAL- CABLES & WIRES	Polyvinyl Chloride Insulated Unsheathed and Sheathed Cables/ Cords with Rigid and Flexible Conductor for Rated Voltages upto and Including 1100 Volts	Heat Shock Test (Insulation & Sheath)	IS 10810 (Part 14)/ IS 694 (Cl. 10 /Table No. 1-iii-c-5, d-5)
190	ELECTRICAL- CABLES & WIRES	Polyvinyl Chloride Insulated Unsheathed and Sheathed Cables/ Cords with Rigid and Flexible Conductor for Rated Voltages upto and Including 1100 Volts	High Voltage Test at Room Temperature	IS 10810 (Part 45)/ IS 694 (Cl. 10.2/ Table No.1-iii-e-4)
191	ELECTRICAL- CABLES & WIRES	Polyvinyl Chloride Insulated Unsheathed and Sheathed Cables/ Cords with Rigid and Flexible Conductor for Rated Voltages upto and Including 1100 Volts	Hot Deformation (Insulation & Sheath)	IS 10810 (Part 15)/ IS 694 (Cl. 10/ Table N0.1-iii-c-6, d-6)



National Accreditation Board for Testing and Calibration Laboratories

SCOPE OF ACCREDITATION

Laboratory Name : V-MARC INDIA LIMITED (UNIT-LAB DIVISION), KHASRA NO. 1, 2 & 6, VILLAGE-MUKKARBPUR, TEHSIL-ROORKEE, HARIDWAR, UTTARAKHAND, INDIA

Accreditation Standard ISO/IEC 17025:2017

Certificate Number TC-17303

Page No 18 of 19

Validity 24/12/2025 to 23/12/2029

Last Amended on -

S.No	Discipline / Group	Materials or Products tested	Component, parameter or characteristic tested / Specific Test Performed / Tests or type of tests performed	Test Method Specification against which tests are performed and / or the techniques / equipment used
192	ELECTRICAL- CABLES & WIRES	Polyvinyl Chloride Insulated Unsheathed and Sheathed Cables/ Cords with Rigid and Flexible Conductor for Rated Voltages upto and Including 1100 Volts	Loss of Mass Test (Insulation & Sheath)	IS 10810 (Part 10)/ IS 694 (Cl. 10/ Table No.1-iii- c-2, d-2)
193	ELECTRICAL- CABLES & WIRES	Polyvinyl Chloride Insulated Unsheathed and Sheathed Cables/ Cords with Rigid and Flexible Conductor for Rated Voltages upto and Including 1100 Volts	Oxygen Index Test	IS 10810 (Part 58)/ IS 694 (Cl. 10.5/ Table No.1-iii- c-11, d-8)
194	ELECTRICAL- CABLES & WIRES	Polyvinyl Chloride Insulated Unsheathed and Sheathed Cables/ Cords with Rigid and Flexible Conductor for Rated Voltages upto and Including 1100 Volts	Persulphate Test (for Tinned Copper Conductor Only)	IS 10810 (Part 4)/ IS 694 (Cl. 4.2 /Table No.1-ii-q, iii -a-5)
195	ELECTRICAL- CABLES & WIRES	Polyvinyl Chloride Insulated Unsheathed and Sheathed Cables/ Cords with Rigid and Flexible Conductor for Rated Voltages upto and Including 1100 Volts	Shrinkage Test (Insulation & Sheath)	IS 10810 (Part 12)/ IS 694 (Cl. 10/Table No. 1-iii-c-4, d-4)
196	ELECTRICAL- CABLES & WIRES	Polyvinyl Chloride Insulated Unsheathed and Sheathed Cables/ Cords with Rigid and Flexible Conductor for Rated Voltages upto and Including 1100 Volts	Smoke Density	IS 13360 (Part 6/ Sec 9)/ IS 694 (Cl. 10./Table No.1- iii-c-14, d-11)
197	ELECTRICAL- CABLES & WIRES	Polyvinyl Chloride Insulated Unsheathed and Sheathed Cables/ Cords with Rigid and Flexible Conductor for Rated Voltages upto and Including 1100 Volts	Temperature Index	IS 10810 (Part 64)/ IS 694 (Cl. 10.7/ Table No.1-iii- c-12, d-9)
198	ELECTRICAL- CABLES & WIRES	Polyvinyl Chloride Insulated Unsheathed and Sheathed Cables/ Cords with Rigid and Flexible Conductor for Rated Voltages upto and Including 1100 Volts	Tensile Strength (Insulation & Sheath)	IS 10810 (Part 7)/ IS 694 (Cl. 10 /Table No. 1-iii-c-1, d-1)
199	ELECTRICAL- CABLES & WIRES	Polyvinyl Chloride Insulated Unsheathed and Sheathed Cables/ Cords with Rigid and Flexible Conductor for Rated Voltages upto and Including 1100 Volts	Tensile Test (For Aluminium)	IS 10810 (Part 2)/ IS 694 (Cl. 10 / Table No.1-ii, iii- a-2)
200	ELECTRICAL- CABLES & WIRES	Polyvinyl Chloride Insulated Unsheathed and Sheathed Cables/ Cords with Rigid and Flexible Conductor for Rated Voltages upto and Including 1100 Volts	Test for Overall Dimensions and Thickness of Insulation/ Sheath	IS 10810 (Part 6)/ IS 694 (Cl. 5.3 & 8.3 /Table No. 1-iii-b)



National Accreditation Board for Testing and Calibration Laboratories

SCOPE OF ACCREDITATION

Laboratory Name :	V-MARC INDIA LIMITED (UNIT-LAB DIVISION), KHASRA NO. 1, 2 & 6, VILLAGE-MUKKARBPUR, TEHSIL-ROORKEE, HARIDWAR, UTTARAKHAND, INDIA		
Accreditation Standard	ISO/IEC 17025:2017		
Certificate Number	TC-17303	Page No	19 of 19
Validity	24/12/2025 to 23/12/2029	Last Amended on	-

S.No	Discipline / Group	Materials or Products tested	Component, parameter or characteristic tested / Specific Test Performed / Tests or type of tests performed	Test Method Specification against which tests are performed and / or the techniques / equipment used
201	ELECTRICAL- CABLES & WIRES	Polyvinyl Chloride Insulated Unsheathed and Sheathed Cables/ Cords with Rigid and Flexible Conductor for Rated Voltages upto and Including 1100 Volts	Thermal Stability (Insulation & Sheath)	IS 10810 (Part 60)/ IS 694 (Cl. 10/ Table No.1-iii-c-7, d-7)
202	ELECTRICAL- CABLES & WIRES	Polyvinyl Chloride Insulated Unsheathed and Sheathed Cables/ Cords with Rigid and Flexible Conductor for Rated Voltages upto and Including 1100 Volts	Volume Resistivity (Insulation Resistance Constant)	IS 10810 (Part 43)/ IS 694 (Cl. 10/Table No.1-iii-e-3)
203	ELECTRICAL- CABLES & WIRES	Polyvinyl Chloride Insulated Unsheathed and Sheathed Cables/ Cords with Rigid and Flexible Conductor for Rated Voltages upto and Including 1100 Volts	Wrapping Test (For Aluminium)	IS 10810 (Part 3)/ IS 694 (Cl. 10 / Table No. 1-ii, iii-a-3)